



Mod. Super GN

Water/Foam nozzle

Standard characteristics

Nominal flow rate: From 3500 to 6000 lpm calculated at 7 barg

Body material: Stainless steel and bronze

Actuation: Manual

Jet Type: Fog, Full (Jet)


Horizontal throw and covering angle: See diagram on next page

Base flange made in carbon steel: External diameter Ø160 mm or Ø240 mm

Coating: Epoxy Primer + Polyurethane red coat RAL3000, Total DFT >120 µm

Weight: ~12 Kg

Approvals



Notes

In case of inquiry and/or order specify the following datas:

- > Working pressure

Compatible monitors

- > MB3, MB4, DOC, MKW, MKDB

Available on Demand

- > Base Flange: Other Material
- > Other Inlet connection with adapter (NH, Ghost, Storz)
- > Coating: Other painting cycles

Key configuration

- > Application for electric remote actuation
- > Application for oil - hydraulic actuation

www.fasspa.net

Mod. Super GN

Water/Foam nozzle

Layout & Overall Dimension








Grafico di gittata - Horizontal throw diagram Bocchello - Nozzle SUPER GN Gittate a getto nebulizzato - Fog jet horizontal throw Elevazione bocchello - Nozzle elevation 20° ÷ 30°





Grafico di gittata - Horizontal throw diagram Bocchello - Nozzle SUPER GN Gittate a getto pieno - Full jet horizontal throw Elevazione bocchello - Nozzle elevation 20° ÷ 30°



Test in still air, throw length dependent on flow rate and pressure at the nozzle

www.fasspa.net

SUPER GN NOZZLE KEY CONFIGURATION

Mod. Super GN-E - Application for electric remote actuation

Characteristics

Actuation: With electric motor + emergency manual handwheel

Jet Type: Fog, Full (Jet)

Feeding voltage: 240V AC 50/60 Hz. 1 ph.

Weight: ~ 18 Kg




Compatible monitors

> DOC E, MKE



Layout & Overall Dimension - Super GN Nozzle with electrical actuation



www.fasspa.net

SUPER GN NOZZLE KEY CONFIGURATION


Mod. Super GN-O - Application for oil-hydraulic actuation

Characteristics


Actuation: Oil Hydraulic

Jet Type: Fog, Full (Jet)

Weight: ~ 12 Kg



Layout & Overall Dimension - Super GN Nozzle with oil-hydraulic actuation



www.fasspa.net